Appl. No.

09/782,588

Fîled

February 12, 2001

## AMENDMENTS TO THE CLAIMS

## **CLAIMS**:

- 1. (Currently Amended) A microscope slide composition comprising:
- a) a substrate with a surface comprising first and second assay locations separated from each other by a physical border, wherein said assay locations have discrete sites, said sites separated by a distance of less than 50 μm; and wherein said substrate comprises the dimensions of a microscope slide; and
- b) a population of microspheres comprising at least a first and a second subpopulation, wherein said first subpopulation comprises a first bioactive agent and said second subpopulation comprises a second bioactive agent, wherein said microspheres are randomly distributed on at said discrete sites on said surface.
- 2. (Currently Amended) A-The composition according to claim 1, wherein said sites are separated by a distance of less than 25 μm.
- 3. (Currently Amended) A<u>The</u> composition according to claim 1, wherein said sites are separated by a distance of less than 15 μm.
- 4. (Currently Amended) A<u>The</u> composition according to claim 1, 2 or 3, wherein said sites are separated by a distance of at least about 5  $\mu m$ .
  - 5. (Canceled).
- (Previously presented) The composition according to claim 1, wherein the distance between centers of a first and second microsphere of said first subpopulation is at least 5 μm.
- (Previously Presented) The composition according to claim 6, wherein the distance between said first and second microsphere of said first subpopulation is less than about 100 μm.
  - 8. (Canceled)
  - 9. (Canceled)
- 10. (Currently Amended) A<u>The</u> composition according to claim 97, wherein the distance between a first and second microsphere of said first subpopulation is less than about 50 μm.

Appl. No.

09/782,588

Filed

February 12, 2001

- 11. (Currently Amended) A<u>The</u> composition according to claim <u>97</u>, wherein the distance between a first and second microsphere of said first subpopulation is less than about 15 μm.
- 12. (Currently Amended) A<u>The</u> composition according to claim <u>97</u>, 10 or 11, wherein the distance between said first and second microsphere of said first subpopulation is at least about 5 µm.

Claims 13-17 (Canceled).

- 18. (Currently Amended) A method for making a microscope slide composition comprising:
  - a) providing a substrate with a surface comprising <u>first and second assay</u> locations separated from each other by a physical border, wherein said assay locations have discrete sites, said sites separated by a distance of less than 50 µm, <u>and</u> wherein said substrate comprises the dimensions of a microscope slide; and
  - b) randomly distributing a population of microspheres comprising at least a first and a second subpopulation at said discrete sites, wherein said first subpopulation comprises a first bioactive agent and said second subpopulation comprises a second bioactive agent.
- 19. (Currently Amended) The method according to claim 2618, wherein said wells discrete sites are separated by a distance of less than 25  $\mu m$ .
- 20. (Currently Amended) The method according to claim 2618, wherein said wells discrete sites are separated by a distance of less than 15  $\mu$ m.
- 21. (Previously presented) The method according to claim 18, wherein the ratio of said first and said second subpopulation is at least 1:36.
- 22. (Previously presented) The method according to claim 18, wherein the ratio of said first and said second subpopulation is at least 1: 100.
- 23. (Previously presented) The method according to claim 18, wherein the distance between the centers of a first and second microsphere of said first subpopulation is at least 5  $\mu$ m.
- 24. (Previously presented) The method according to claim 18, wherein the distance between the centers of a first and second microsphere of said first subpopulation is at least 15 μm.

Appl. No.

09/782,588

Filed

February 12, 2001

- 25. (Previously presented) The method according to claim 18, wherein the distance between a first and second microsphere of said first subpopulation is at least 50 μm.
- 26. (Canceled)
- 27. (Previously presented) The method according to claim 18, wherein said discrete sites are wells.